


AETNA BETTER HEALTH® Coverage Policy/Guideline			
Name:	Sodium oxybate	Page:	1 of 3
Effective Date:	6/9/2025	Last Review Date:	5/27/2025
Applies to:	<input checked="" type="checkbox"/> Illinois <input type="checkbox"/> Maryland	<input checked="" type="checkbox"/> Florida Kids <input checked="" type="checkbox"/> Pennsylvania Kids	<input checked="" type="checkbox"/> New Jersey <input checked="" type="checkbox"/> Virginia

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for sodium oxybate under the patient's prescription drug benefit.

Description:

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met, and the member has no exclusions to the prescribed therapy.

FDA-Approved Indication

Treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy.

All other indications are considered experimental/investigational and not medically necessary.

Applicable Drug List:

Sodium oxybate

Policy/Guideline:

Documentation:

Submission of the following information is necessary to initiate the prior authorization review:

- A. Initial requests, ALL the following (if applicable):
 1. Documentation of a sleep lab evaluation.
 2. Chart notes, medical record documentation, or claims history supporting previous medications tried (if applicable), including response to therapy. If therapy is not advisable, documentation of clinical reason to avoid therapy.
- B. Continuation requests, documentation to support ONE of the following:
 1. Excessive daytime sleepiness with narcolepsy: chart notes or medical record documentation supporting a beneficial response to therapy as demonstrated by a decrease in daytime sleepiness with narcolepsy from baseline.
 2. Cataplexy with narcolepsy: chart notes or medical record documentation supporting a beneficial response to therapy as demonstrated by a decrease in cataplexy episodes from baseline



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Sodium oxybate

Page: 2 of 3

Effective Date: 6/9/2025

Last Review Date: 5/27/2025

Applies to: ☒ Illinois
☐ Maryland

☒ Florida Kids
☒ Pennsylvania Kids

☒ New Jersey
☒ Virginia

Prescriber Specialty:

This medication must be prescribed by or in consultation with a sleep specialist (e.g., neurologist experienced with sleep disorders, physician certified in sleep medicine).

Criteria for Initial Approval:

A. Excessive Daytime Sleepiness with Narcolepsy

Authorization of 12 months may be granted for treatment of excessive daytime sleepiness when ALL the following criteria are met:

1. The diagnosis of narcolepsy is confirmed by a sleep lab evaluation
2. Member meets ONE of the following:
 - a) Member is 7 years of age or older and less than 18 years of age AND meets ONE of the following:
 - i. The member has experienced an inadequate treatment response or intolerance to at least one central nervous system (CNS) stimulant drug (e.g., amphetamine, dextroamphetamine, or methylphenidate)
 - ii. The member has a contraindication to at least one central nervous system (CNS) stimulant drug (e.g., amphetamine, dextroamphetamine, or methylphenidate)
 - b) Member is 18 years of age or older:
 - i. The member has experienced an inadequate treatment response or intolerance to modafinil or armodafinil OR
 - ii. The member has a contraindication to both modafinil and armodafinil
 - a. Note: armodafinil is the formulary preferred product for all plans except Illinois. Illinois' formulary preferred product is modafinil.

B. Cataplexy with Narcolepsy


1. Authorization of 12 months may be granted for treatment of cataplexy with narcolepsy when ALL the following criteria are met:

- a. The member is 7 years or older.
- b. The diagnosis of narcolepsy is confirmed by a sleep lab evaluation.
- c. The member has a baseline history of at least 3 cataplexy attacks per week.

Continuation of Therapy:

A. Excessive Daytime Sleepiness with Narcolepsy

Authorization of 12 months may be granted for continued treatment of excessive daytime sleepiness (EDS) with narcolepsy when the member has demonstrated

		AETNA BETTER HEALTH® Coverage Policy/Guideline	
Name:	Sodium oxybate	Page:	3 of 3
Effective Date:	6/9/2025	Last Review Date:	5/27/2025
Applies to:	<input checked="" type="checkbox"/> Illinois <input type="checkbox"/> Maryland	<input checked="" type="checkbox"/> Florida Kids <input checked="" type="checkbox"/> Pennsylvania Kids	<input checked="" type="checkbox"/> New Jersey <input checked="" type="checkbox"/> Virginia

beneficial response to treatment as defined by a decrease in daytime sleepiness with narcolepsy from baseline.

B. Cataplexy with Narcolepsy

Authorization of 12 months may be granted for continued treatment of cataplexy with narcolepsy when the member has demonstrated beneficial response to treatment as defined by a decrease in cataplexy episodes from baseline.

Approval Duration and Quantity Restrictions:

Approval: 12 months

Quantity Level Limit:

Sodium oxybate 0.5 g/mL oral solution: 540 mL per 30 days

References:

1. Lumryz [package insert]. Chesterfield, MO: Ayadel CNS Pharmaceuticals, LLC.; October 2024.
2. Nuvigil [package insert]. Parsippany, NJ: Teva Pharmaceuticals; December 2022.
3. Provigil [package insert]. Parsippany, NJ: Teva Pharmaceuticals.; December 2022.
4. Sodium oxybate [package insert]. Berkeley Heights, NJ: Hikma Pharmaceuticals USA Inc.; April 2023.
5. Xyrem [package insert]. Palo Alto, CA: Jazz Pharmaceuticals, Inc.; April 2023.
6. Micromedex (electronic version). Truven Health Analytics, Greenwood Village, Colorado, USA. <http://www.micromedexsolutions.com/>. Accessed December 5, 2024.
7. Morgenthaler TI, Vishesh KK, Brown T, et al. Practice Parameters for the Treatment of Narcolepsy and Other Hypersomnias of Central Origin. *Sleep* 2007; 30(12):1705-11.
8. American Academy of Sleep Medicine. International Classification of Sleep Disorders: Diagnostic and Coding Manual. 3rd edition. Westchester, IL: American Academy of Sleep Medicine; 2014.
9. Krahn, L, Hershner S, et al. Quality Measures for the Care of Patients with Narcolepsy; *Journal of Clinical Sleep Medicine*; 2015; 11(3): 335-55.
10. Maski K, Trotti LM, Kotagal S, Auger RR, et al. Treatment of central disorders of hypersomnolence: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. Published online September 1, 2021.